

Performance Profile Sheet (Page 1 of 2)

NCCER Training

Craft: Pipeline Maintenance Level 3
 Module: CT29_1-17
 Module Title: Launching In-Line Inspection Devices



Trainee Name:

Training Program
 Sponsor:

Instructor:

Rating Levels: (1) Passed: performed task (2) Failed: did not perform task
 Also, list the date the testing for each task was completed.

Recognition: When testing for the NCCER Training Program, be sure to record Performance testing results on the Registration of Training Modules form, and submit the results to the Training Program Sponsor.

OBJECTIVE	TASK	RATING	DATE	START TIME	END TIME
2	Launch an inspection and/or maintenance device (CT29_1-17).				
	Identify potential abnormal operating conditions (AOCs) that may occur during performance of this CT, and know the appropriate actions to take in response to them.				
	Utilize the appropriate personal protective equipment according to relevant company procedures.				
	Confirm that there is adequate product available to launch the pig.				
	Review job responsibilities and communication guidelines with personnel involved with the operation.				
	Notify operations control center before beginning to load or unload inspection devices from barrels.				

Craft: Pipeline Maintenance Level 3
 Module: CT29_1-17
 Module Title: Launching In-Line Inspection Devices



OBJECTIVE	TASK	RATING	DATE	START TIME	END TIME
	Identify and understand the function of key components of the device.				
	Properly identify the barrel of system to be inspected and ensure that the proper size inspection tool is loaded.				
	Ensure that the launcher barrel valves have been properly closed.				
	Demonstrate the proper use of a combustible gas indicator to detect the presence of hazardous vapors.				
	Follow the company lockout/tagout procedures.				
	Demonstrate the proper sequence to follow to verify that pressure has been relieved before opening the device access door.				
	Mechanically bond the inspection device and barrel prior to insertion.				
	Insert the inspection device into the barrel and into the neck of the launcher. Close the barrel access door and pressurize the barrel.				
	Contact proper operations personnel immediately before launching the device.				
	Sequentially open valves to properly pressurize the barrel; then introduce the device into the system.				
	Complete appropriate documentation as required by operator's procedures.				